

## Stand-Alone Filter Systems Self-Contained Air Filtration Units



### SAF Series for Dust & Fume

## Self-Contained Air Filtration Solutions

DualDraw® SAF filtration systems feature high versatility and effective indoor air pollution control. Each unit ships complete with caster wheels, and connects easily to third party ducting and hood applications. No outdoor exhausting is necessary.

### CAPTURE AND TRANSPORT

Depending on customer application, capture velocity ranges from 3,000 feet/minute for lighter dust and fume to 4,500+ feet/minute for combustible dust.

### OSHA/NFPA COMPLIANT

Helps meet OSHA Indoor Air Quality Standard 1910.1000. Filter systems configured to capture combustible dust comply with NFPA combustible dust standards.

### SELF-CONTAINED FILTER SYSTEMS

- Collects dust and fumes from table, hood, saw, and grinding wheel applications
- Easy to relocate and deploy
- Standard duct connection flange
- Filter media can be configured to handle a wide range of airborne hazards, including welding fume, toxic vapors, deburr dust, combustible dust, and more
- HEPA, activated carbon, box style, bags, and self-cleaning cartridge filtration
- Differential pressure gauge lets you know when it's time to change the filter

**FAST, EASY DEPLOYMENT**  
**CONNECT TO HOODS & DUCTING**



**SAF-SC 1250 CFM**  
Portable filter system with self-cleaning filters; filter door removed for show



**SAF-LSP HEPA 900 CFM**  
Portable filter system for dust or fume collection; HEPA filtration



**SAF-HSP 1600 CFM**  
Portable filter system for dust or fume collection; high pressure, high CFM



**SAF-HSP 650 CFM**  
Portable filter system for dust or fume collection; high pressure, low CFM